

Informal Catalogue.

General Electric Company

Schenectady, N.Y.

SUPPLY DEPARTMENT

April, 1908

* Bulletin No. 4592

PARTS OF TYPE DB REVERSERS

Used Principally with Sprague-General Electric Type M Control Apparatus

TYPE DB 18, FORM A REVERSER

Cat. No.	Description	List Price
30426	OPERATING MAGNET SPOOL, complete, DB-18-A-6.....	\$31.00
30427	Operating magnet spool, complete, DB-18-A-7.....	31.00
34268	Operating magnet spool, complete, DB-18-A-8.....	30.00
40127	Operating magnet spool, complete, DB-18-A-9.....	29.00
40173	Operating magnet spool, complete, DB-18-A-10.....	28.00
40174	Operating magnet spool, complete, DB-18-A-11.....	34.00
40175	Operating magnet spool, complete, DB-18-A-12.....	35.50
40176	Operating magnet spool, complete, DB-18-A-13.....	27.00
40177	Operating magnet spool, complete, DB-18-A-14.....	36.00
40178	Operating magnet spool, complete, DB-18-A-15.....	37.00
40196	Operating magnet spool, complete, DB-18-A-16.....	35.00
47547	Operating magnet spool, complete, DB-18-A-18.....	36.00
47548	Operating magnet spool, complete, DB-18-A-19.....	29.00
22778	Copper terminal for magnet spool.....per 100	2.00
19682	Screw fastening terminal in position (14-24, $\frac{3}{8}$ " R.H. Blued).....per 100	1.00
22780	Lock washer for No. 19682 ($\frac{17}{64}$ " x $\frac{1}{2}$ " x .060").....per 100	2.00
23987	BASE PLATE, complete, with supporting studs for bearing plate and magnet cores.....	.20
23988	Washer for base plate and magnet cores ($1\frac{9}{32}$ " x $3\frac{1}{4}$ " x $\frac{3}{64}$ ".....	23.00
23989	Bearing plate with bearing cap and cap screws for fastening to supporting studs.....	1.05
23990	Bearing cap for No. 23989.....	8.00
9887	Long cap screw fastening bearing cap and bearing plate to supporting stud ($\frac{1}{2}$ "-13, $1\frac{1}{2}$ " Hex. H.).....per 100	8.00
439	Short cap screw fastening bearing cap and fastening bearing plate to supporting studs ($\frac{1}{2}$ "-13, 1" Hex. H.).....per 100	4.00
16131	Lock washer for Nos. 9887, 439.....per 100	32.00
23991	CONTACT BLOCK (right-hand) complete, without contact fingers.....	32.00
23992	Contact block (left-hand) complete, without contact fingers.....	7.50
23993	Contact block (right-hand).....	7.50
23994	Contact block (left-hand).....	1.00
23995	Screw fastening contact block to base plate ($\frac{5}{16}$ "-18, $1\frac{3}{4}$ " R.H.).....per 100	.40
23996	Washer for No. 23995 ($\frac{21}{64}$ " x $\frac{9}{16}$ " x .060").....per 100	.90
23997	Contact base (right-hand, wide).....	.90
23998	Contact base (left-hand, wide).....	.25
23999	Contact base (narrow).....	.25
30813	Screw fastening contact bases to contact block (12-24, $\frac{5}{8}$ " F.H.).....per 100	2.00
22778	Terminal for narrow contact base.....per 100	1.00
19682	Screw fastening terminal to contact base (14-24, $\frac{3}{8}$ " R.H. Blued).....per 100	2.00
22780	Lock washer for No. 19682 ($\frac{17}{64}$ " x $\frac{1}{2}$ " x .060").....per 100	3.25
30814	Binding screw for contact base (14-24, $\frac{3}{4}$ " R.H., Round Point, Blued Sp'l).....per 1000	1.50
22213	Check nut for binding screw (14-24, $\frac{3}{8}$ " thick Hex. Flat, Brass).....per 100	.85
24107	Large contact finger, with shunt.....	


Note. These prices and data are published for the convenience of customers, and every effort is made to avoid error, but this Company does not guarantee their correctness, nor does it hold itself responsible for any errors or omissions in this publication. Both prices and data are subject to change without notice.

*Supersedes Reverser Section Catalogue No. 7596.

4592-2 Parts of Type DB Reversers

TYPE DB 18, FORM A REVERSER

Cat. No.	Description	List Price
24108	Small contact finger.....	\$0.20
861	Screw fastening No. 24107 to base (8-32, $\frac{5}{8}$ " F.H.).....per 100	.50
1193	Screw fastening No. 24108 to base (8-32, $\frac{1}{2}$ " F.H.).....per 100	1.00
24109	Double washer for No. 861.....per 100	2.00
24110	Double washer for No. 1193.....per 100	2.00



24111	Fiber barrier for contact block.....	.60
9933	Screw fastening barrier to block (No. 8, 2" R.H.).....per 100	.50
24113	Fiber insulation strip between contact block and base plate.....	.40
24114	FRAME FOR SEGMENT BLOCKS, includes bearing pins for plunger levers, fiber stop pieces and set screws.....	15.00
24115	Bearing pin ($\frac{1}{2}$ " x 4").....	.06
4030	Spring cotter for pin ($\frac{3}{32}$ " x $\frac{5}{8}$ ").....per 1000	2.00
24116	Fiber stop piece.....	.15

TYPE DB 18, FORM A REVERSER

Cat. No.	Description	List Price
19682	Set screw for No. 24116 (14-24, $\frac{3}{8}$ " R.H. Blued).....per 100	\$1.00
24117	Shaft for frame.....	.40
24118	RIGHT-HAND SEGMENT BLOCK, complete, with segments and magnetic blow-out device.....	14.50
24119	Left-hand segment block, complete, with segments and magnetic blow-out device.....	14.50
24120	Wood block (right-hand).....	1.00
24121	Wood block (left-hand).....	1.00
24122	Screw fastening wood blocks to frame ($\frac{5}{16}$ "-18, $1\frac{1}{2}$ " R.H.).....per 100	.85
24123	Fiber end block (right-hand).....	.60
24124	Fiber end block (left-hand).....	.60
471	Screw fastening end blocks to wood blocks (No. 8, $1\frac{1}{4}$ " F.H.).....per 100	.25
24125	Fiber plate for long segments.....	.25
24126	Long contact segment (upper right and lower left-hand).....	.80
24127	Long contact segment (upper left and lower right-hand).....	.80
24128	Short contact segment.....	.30
24129	Double contact segment for $\frac{1}{2}$ " fingers.....	.30
24130	Single contact segment for $\frac{1}{2}$ " fingers.....	.20
1058	Screw fastening Nos. 24126, 24127, 24128 to wood block (No. 12, $1\frac{1}{4}$ " F.H.).....per 100	.35
1013	Screw fastening No. 24129 to blow-out box and fastening No. 24130 to wood block (No. 8, $\frac{3}{4}$ " F.H.).....per 100	.40
24131	Screw fastening No. 24129 to end block (8-32, $\frac{7}{8}$ " F.H.).....per 100	.20
24132	MAGNETIC BLOW-OUT DEVICE, complete (right-hand).....	3.60
24133	Magnet blow-out device, complete (left-hand).....	3.60
24134	Screw fastening Nos. 24132, 24133 to frame (14-24, $3\frac{9}{16}$ " R.H.).....per 100	2.40
21451	Nut for No. 24134 (14-24, $\frac{1}{4}$ " thick Hex.).....per 100	.80
24135	Large washer for No. 21451 ($\frac{17}{64}$ " x $\frac{5}{8}$ " x .060" Brass).....per 100	.90
24136	Small washer for No. 21451 ($\frac{17}{64}$ " x $\frac{1}{2}$ " x .031" Brass).....per 100	.40
24137	Magnet spool box (outer half).....	1.25
24138	Magnet spool box (inner half, right-hand).....	1.25
24139	Magnet spool box (inner half, left-hand).....	1.10
24140	Blow-out magnet.....	1.40
24141	Magnet core, with blade.....	.25
24142	Magnet yoke.....	.35
24143	Operating Arm, complete, includes plunger, hinge pin with spring cotter and hinge pin with rivet.....	6.00
24144	Operating arm, bare.....	2.40
24145	Plunger.....	.70
24146	Hinge pin with spring cotter for operating arm and bearing plate ($\frac{1}{2}$ " x $3\frac{1}{2}$ ").....per 100	2.50
15207	Spring cotter for No. 24146 ($\frac{1}{8}$ " x $1\frac{1}{2}$ ").....per 100	.40
24147	Hinge pin with rivet for operating arm and plunger.....per 100	7.00


TYPE DB 20, FORM A REVERSER

30426	OPERATING MAGNET SPOOL, complete, DB-20-A-6.....	31.00
30427	Operating magnet spool, complete, DB-20-A-7.....	31.00
34268	Operating magnet spool, complete, DB-20-A-8.....	30.00
40127	Operating magnet spool, complete, DB-20-A-9.....	29.00
40173	Operating magnet spool, complete, DB-20-A-10.....	28.00
40174	Operating magnet spool, complete, DB-20-A-11.....	34.00
40175	Operating magnet spool, complete, DB-20-A-12.....	35.50
40176	Operating magnet spool, complete, DB-20-A-13.....	27.00
40177	Operating magnet spool, complete, DB-20-A-14.....	36.00
40178	Operating magnet spool, complete, DB-20-A-15.....	37.00
40196	Operating magnet spool, complete, DB-20-A-16.....	35.00
47547	Operating magnet spool, complete, DB-20-A-18.....	36.00
47548	Operating magnet spool, complete, DB-20-A-19.....	29.00

4592-4 Parts of Type DB Reversers

TYPE DB 20, FORM A REVERSER

Cat. No.	Description	List Price
22778	Copper terminal for magnet spool.....per 100	\$2.00
19682	Screw fastening terminal in position (14-24, $\frac{3}{8}$ " R.H. Blued).....per 100	1.00
22780	Lock washer for No. 19682 ($\frac{17}{64}$ " x $\frac{1}{2}$ " x .060").....per 100	2.00
25473	Base plate, complete, with supporting studs for bearing plate and magnet poles.....	
25474	Bearing plate, with bearing caps, cap screws, lock washers and brass bushings.....	10.80
25475	Bearing cap for No. 25474.....	.60
9887	Long cap screw fastening bearing caps and bearing plate to supporting studs ($\frac{1}{2}$ "-13, $1\frac{1}{2}$ " Hex. H.).....per 100	8.00
439	Short cap screw fastening bearing plate to supporting studs ($\frac{1}{2}$ "-13, 1" Hex. H.) per 100	8.00



16131	Lock washer for Nos. 9887, 439.....per 100	4.00
25732	Operating arm, complete, includes plunger, hinge pin with spring cotter and hinge pin with rivet.....	2.00
25733	Operating arm.....	.85
24145	Plunger.....	.70
46259	Hinge pin for operating arm and bearing plate ($\frac{1}{2}$ " x $2\frac{3}{4}$ ").....per 100	6.15
4030	Spring cotter for No. 46259 ($\frac{3}{32}$ " x $\frac{5}{8}$ ").....per 1000	2.00
25735	Hinge pin for operating arm and plunger ($\frac{1}{2}$ " x $2\frac{1}{8}$ ").....	.20
15207	Spring cotter for No. 25735 ($\frac{1}{8}$ " x $1\frac{1}{2}$ ").....per 100	.40
25488	FRAME FOR SEGMENT BLOCKS, complete, includes bearing pins for plunger levers, adjustable stop pieces and bearing pivots with phosphor bronze washer.....	11.00
25489	Bearing pin with rivet ($\frac{1}{2}$ " x $3\frac{5}{8}$ ").....per 100	6.40
25490	Adjustable stop piece.....	.30
25491	RIGHT-HAND SEGMENT BLOCK, complete, with segments and magnetic blow-out device.....	10.50

TYPE DB 20, FORM A REVERSER

Cat. No.	Description	List Price
25492	Left-hand segment block, complete, with segments and magnetic blow-out device.....	\$10.50
25493	Segment block (right-hand).....	2.25
25494	Segment block (left-hand).....	2.25
25496	Insulation barrier for segment block.....	.50
5604	Screw fastening No. 25496 to block (10-24, 1 $\frac{1}{4}$ " R.H. Brass).....per 100	.40
25498	Nut for No. 5604 (10-24, Brass Sp'l).....per 100	2.00
25499	Double contact segment, with studs, for large fingers.....	.45
25721	Single contact segment, with stud, for large fingers.....	.50
25722	Double contact segment for small fingers.....	.30
25723	Single contact segment for small fingers.....	.20
25724	Stud fastening Nos. 25499, 25721 to segment block (14-24, 1 $\frac{3}{16}$ " Brass).....per 100	3.25
25725	Nut for No. 25724 (14-24 Hex.).....per 100	.60
22780	Lock washer for No. 25725 ($\frac{17}{64}$ " x $\frac{1}{2}$ " x .060").....per 100	2.00
25726	Long screw fastening Nos. 25722, 25723 to segment block (10-24, 1 $\frac{1}{4}$ " F.H. Brass).....per 100	.40
1397	Short screw fastening Nos. 25722, 25723 to segment block (10-24, $\frac{3}{4}$ " F.H. Brass)per 100	.20
25498	Nut for short screw fastening No. 25722 to segment block (10-24, Brass Sp'l) ..per 100	2.00
34245	Nut for short screw fastening No. 25723 to segment block (10-24, Brass Sp'l) .per 100	1.00
25728	Connection rod for segments (8" long).....	.15
46327	Insulation sleeve for No. 25728.....	.08
25729	Coil for magnetic blow-out device.....	1.15
25730	Box for No. 25729.....	1.10
25731	Screw fastening No. 25730 to block (10-24, 1" F.H. Brass).....per 100	.30
24122	Screw fastening segment blocks to frame ($\frac{5}{16}$ "-18, 1 $\frac{1}{2}$ " R.H.).....per 100	.85
47173	Lock washer for No. 24122 ($\frac{31}{64}$ " x $\frac{3}{8}$ " x .0625").....per 100	1.20
25476	CONTACT BLOCK (right-hand) complete, without contact fingers.....	.20
25477	Contact block (left-hand) complete, without contact fingers.....	.20
25478	Contact block (right-hand).....	5.20
25479	Contact block (left-hand).....	5.20
24122	Screw fastening contact block to base plate ($\frac{5}{16}$ "-18, 1 $\frac{1}{2}$ " R.H.).....per 100	.85
33847	Washer for No. 24122 ($\frac{11}{32}$ " x $\frac{9}{16}$ " x .060").....per 100	.15
25480	Wide contact base (right-hand).....	1.00
25481	Wide contact base (left-hand).....	1.00
23999	Contact base, narrow.....	.25
33848	Long screw fastening Nos. 25480, 25481 to contact block (12-14, $\frac{7}{8}$ " F.H.).....per 100	.30
30813	Screw fastening No. 23999 and short screw fastening Nos. 25480 25481 to contact block (12-24, $\frac{3}{8}$ " F.H.).....per 100	.25
22778	Copper terminal for No. 23999.....per 100	2.00
19682	Screw fastening terminal to contact base (14-24, $\frac{3}{8}$ " R.H. Blued).....per 100	1.00
22780	Lock washer for No. 19682 ($\frac{17}{64}$ " x $\frac{1}{2}$ " x .060").....per 100	2.00
30364	Binding screw for wide contact base ($\frac{5}{16}$ "-18, 1" R.H. Round Point Blued, Sp'l) .per 100	3.00
25483	Check nut for binding screw ($\frac{5}{16}$ "-18, Hex. Blued).....per 100	1.00
25484	Large contact finger, with shunt.....	.85
25485	Small contact finger.....	.25
2028	Screw fastening No. 25484 to contact base (14-24, $\frac{5}{8}$ " F.H.).....per 100	.50
1193	Screw fastening No. 25485 to contact base (8-32, $\frac{1}{2}$ " F.H.).....per 100	1.00
25486	Double washer for No. 2028.....per 100	3.00
24109	Double washer for No. 1193.....per 100	2.00
24111	Insulation barrier for small contact bases.....	.60
9933	Screw fastening barrier to contact block (No. 8, 2" R.H.).....per 100	.50


TYPE DB 21, FORM A REVERSER

30345	OPERATING MAGNET SPOOL, complete, DB-21-A-3.....	20.00
30346	Operating magnet spool, complete, DB-21-A-4.....	31.00

4592-6 Parts of Type DB Reversers

TYPE DB 21, FORM A REVERSER

Cat. No.	Description	List Price
30347	Operating magnet spool, complete, DB-21-A-5	\$18.00
30348	Operating magnet spool, complete, DB-21-A-6	21.00
40125	Operating magnet spool, complete, DB-21-A-7	22.00
40126	Operating magnet spool, complete, DB-21-A-8	18.00
47550	Operating magnet spool, complete, DB-21-A-9	18.50
47551	Operating magnet spool, complete, DB-21-A-10	21.50
47552	Operating magnet spool, complete, DB-21-A-11	23.00
22778	Copper terminal for magnet spool	per 100 2.00
19682	Screw fastening terminal in position (14-24, $\frac{3}{8}$ " R.H. Blued)	per 100 1.00



22780	Lock washer for No. 19682 ($\frac{17}{64}$ " x $\frac{1}{2}$ " x .060")	per 100 2.00
34225	Base plate, complete, with supporting studs for bearing plate and magnet poles	9.80
34226	Bearing plate, with bearing caps, cap screws, lock washers and brass bushings	.60
34227	Bearing cap for No. 34226	4.00
30351	Cap screw fastening bearing caps and bearing plate to supporting studs ($\frac{1}{2}$ "-13, $1\frac{1}{4}$ " Hex. H. Slot.)	per 100 4.00
16131	Lock washer for No. 30351	per 100 4.00
34228	Operating arm, complete, includes plunger and hinge pins with spring cotters	1.35
34229	Operating arm	.75
34230	Plunger	.40
46625	Hinge pin for operating arm and bearing plate ($\frac{7}{16}$ " x $2\frac{3}{8}$ ")	per 100 4.50
34232	Hinge pin for operating arm and plunger ($\frac{7}{16}$ " x $2\frac{1}{4}$ ")	.12
4030	Spring cotter for No. 46625 ($\frac{3}{32}$ " x $\frac{5}{8}$ ")	per 1000 2.00
16076	Spring cotter for No. 34232 ($\frac{1}{8}$ " x 1")	per 1000 2.00

TYPE DB 21, FORM A REVERSER

Cat. No.	Description	List Price
34233	FRAME FOR SEGMENT BLOCKS, complete, includes bearing pins for plunger levers, adjustable stop pieces and bearing pivots with phosphor bronze washers.....	\$12.00
34234	Bearing pin with rivet ($\frac{7}{16}$ " x $2\frac{1}{2}$ ").....per 100	5.00
25490	Adjustable stop piece.....	.30
34235	RIGHT-HAND SEGMENT BLOCK, complete, with segments and magnetic blow-out device.....	10.25
34236	Left-hand segment block, complete, with segments and magnetic blow-out device.....	10.25
34237	Segment block (right-hand).....	4.10
34238	Segment block (left-hand).....	4.10
34239	Insulation barrier for segment block.....	.45
25726	Screw fastening No. 34239 to block (10-24, $1\frac{1}{4}$ " F.H. Brass).....per 100	.40
25498	Nut for No. 25726 (10-24, Brass Sp'l).....per 100	2.00
34240	Double contact segment, with studs, for large fingers.....	.35
34241	Single contact segment, with stud, for large fingers and connection wire.....	.40
34242	Double contact segment for small fingers.....	.15
34243	Single contact segment for small fingers.....per 100	7.00
34244	Stud fastening Nos. 34240, 34241 to segment block (14-24, $1\frac{1}{16}$ " Brass).....per 100	2.50
25725	Nut for No. 34244 (14-24, Hex.).....per 100	.60
22780	Lock washer for No. 25725 ($\frac{17}{64}$ " x $\frac{1}{2}$ " x .060").....per 100	2.00
25726	Long screw fastening Nos. 34242, 34243 to segment block (10-24, $1\frac{1}{4}$ " F.H. Brass).....per 100	.40
1397	Short screw fastening Nos. 34242, 34243 to segment block (10-24, $\frac{3}{4}$ " F.H. Brass).....per 100	.20
25498	Nut for short screw fastening No. 34242 to segment block (10-24, Brass Sp'l).....per 100	2.00
34245	Nut for short screw fastening No. 34243 to segment block (10-24, Brass Sp'l).....per 100	1.00
34246	Connection rod for segments (6" long).....	.20
46706	Insulation sleeve for No. 34246.....per 100	6.50
25729	Coil for magnetic blow-out device.....	1.15
34247	Box for No. 25729.....	1.00
25731	Screw fastening No. 34247 to block (10-24, 1 " F.H. Brass).....per 100	.30
34248	Screw fastening segment blocks to frame ($\frac{5}{16}$ "-18, $1\frac{1}{4}$ " R.H.).....per 100	.70
47173	Lock washer for No. 34248 ($\frac{23}{64}$ " x $\frac{3}{8}$ " x .062").....per 100	1.20
34249	CONTACT BLOCK FOR SMALL FINGERS, (right-hand) complete without contact fingers.....	5.10
34250	Contact block for small fingers, (left-hand) complete, without contact fingers.....	5.10
34251	Contact block for large fingers, complete, without contact fingers.....	10.15
34252	Contact block for small fingers.....	1.25
34253	Contact block for large fingers.....	1.60
24122	Screw fastening Nos. 34252, 34253 to base plate ($\frac{5}{16}$ "-18, $1\frac{1}{2}$ " R.H.).....per 100	.85
24262	Washer for No. 24122 ($\frac{23}{64}$ " x $\frac{3}{8}$ " x .060").....per 100	2.70
34254	Wide contact base.....	1.00
34255	Narrow contact base.....	.40
29423	Screw fastening Nos. 34254, 34255 to contact blocks (14-24, $1\frac{1}{4}$ " F.H.).....per 100	.50
34256	Nut for No. 29423 (14-24, Sq. Sp'l).....per 100	3.60
22778	Copper terminal for No. 34255.....per 100	2.00
19682	Screw fastening terminal to contact base (14-24, $\frac{3}{8}$ " R.H. Blued).....per 100	1.00
22780	Lock washer for No. 19682 ($\frac{17}{64}$ " x $\frac{1}{2}$ " x .060").....per 100	2.00
19648	Binding screw for wide contact base (14-24, $\frac{5}{8}$ " R.H. Round Point Blued).....per 100	1.00
22213	Check nut for binding screw (14-24, Hex. Flat Brass).....per 100	1.50
36866	Large contact finger, with shunt.....	.60
25485	Small contact finger.....	.25
861	Screw fastening No. 36866 to contact base (8-32, $\frac{5}{8}$ " F.H.).....per 100	.50
1657	Screw fastening No. 25485 to contact base (8-32, $\frac{3}{8}$ " F.H.).....per 100	.15
24110	Double washer for No. 861.....per 100	2.00


4592-8 Parts of Type DB Reversers

TYPE DB 21, FORM A REVERSER

Cat. No.	Description	List Price
24109	Double washer for No. 1657.....per 100	\$2.00
34263	Insulation barrier for small contact bases.....	.60
10392	Screw fastening barrier to contact block (No. 8, 1½" F.H.).....per 100	.20

TYPE DB 22, FORM A REVERSER

30426	OPERATING MAGNET SPOOL, complete, DB-22-A-6.....	31.00
30427	Operating magnet spool, complete, DB-22-A-7.....	31.00
34268	Operating magnet spool, complete, DB-22-A-8.....	30.00
40127	Operating magnet spool, complete, DB-22-A-9.....	29.00



40173	Operating magnet spool, complete, DB-22-A-10.....	28.00
40174	Operating magnet spool, complete, DB-22-A-11.....	34.00
40175	Operating magnet spool, complete, DB-22-A-12.....	35.50
40176	Operating magnet spool, complete, DB-22-A-13.....	27.00
40177	Operating magnet spool, complete, DB-22-A-14.....	36.00
40178	Operating magnet spool, complete, DB-22-A-15.....	37.00
40196	Operating magnet spool, complete, DB-22-A-16.....	35.00
47547	Operating magnet spool, complete, DB-22-A-18.....	36.00
47548	Operating magnet spool, complete, DB-22-A-19.....	29.00
22778	Copper terminal for magnet spool.....per 100	2.00
19682	Screw fastening terminal in position (14-24, ⅜" R.H. Blued).....per 100	1.00
22780	Lock washer for No. 19682 (⅜" x ½" x .060").....per 100	2.00
30800	Base plate, complete, with supporting studs for bearing plate and magnet poles.....	
25474	Bearing plate with bearing caps, cap screws, lock washers and brass bushings.....	10.80

TYPE DB 22, FORM A REVERSER

Cat. No.	Description	List Price
25475	Bearing cap for No. 25474	\$0.60
9887	Long cap screw fastening bearing caps and bearing plate to supporting studs ($\frac{1}{2}$ "-13, 1 $\frac{1}{2}$ " Hex. H.).....per 100	8.00
439	Short cap screw fastening bearing plate to supporting studs ($\frac{1}{2}$ "-13, 1" Hex. H.).....per 100	8.00
16131	Lock washer for Nos. 9887, 439.....per 100	4.00
25732	Operating Arm, complete, includes plunger, hinge pin with spring cotter and hinge pin with rivet.....	2.00
25733	Operating arm.....	.85
24145	Plunger.....	.70
46259	Hinge pin for operating arm and bearing plate ($\frac{1}{2}$ " x 2 $\frac{3}{4}$ ").....per 100	6.15
4030	Spring cotter for No. 46259 ($\frac{3}{32}$ " x $\frac{5}{8}$ ").....per 1000	2.00
25735	Hinge pin for operating arm and plunger ($\frac{1}{2}$ " x 2 $\frac{7}{8}$ ").....	.20
15207	Spring cotter for No. 25735 ($\frac{1}{8}$ " x 1 $\frac{1}{2}$ ").....per 100	.40
30801	FRAME FOR SEGMENT BLOCKS, complete, includes bearing pins for plunger levers, adjustable stop pieces and bearing pivots with phosphor bronze washers.....	11.15
25489	Bearing pin with rivet ($\frac{1}{2}$ " x 3 $\frac{5}{32}$ ").....per 100	6.40
25490	Adjustable stop piece.....	.30
30802	RIGHT-HAND SEGMENT BLOCK, complete, with segments and magnetic blow-out device.....	15.00
30803	Left-hand segment block, complete, with segments and magnetic blow-out device.....	15.00
30804	Segment block (right-hand).....	3.00
30805	Segment block (left-hand).....	3.00
25496	Insulation barrier for segment block.....	.50
5604	Screw fastening No. 25496 to block (10-24, 1 $\frac{1}{4}$ " R.H. Brass).....per 100	.40
25498	Nut for No. 5604 (10-24, Brass Sp'l).....per 100	2.00
30806	Double contact segment, with studs, for large fingers.....	.35
30807	Single contact segment, with stud, for large fingers.....	.40
25722	Double contact segment for small fingers.....	.30
25723	Single contact segment for small fingers.....	.20
25724	Stud fastening Nos. 30806, 30807 to segment blocks (14-24, 1 $\frac{3}{16}$ " Brass).....	3.25
25725	Nut for No. 25724 (14-24, Hex.).....per 100	.60
22780	Lock washer for No. 25725 ($\frac{17}{64}$ " x $\frac{1}{2}$ " x .060").....per 100	.85
25726	Long screw fastening Nos. 25722, 25723 to segment block (10-24, 1 $\frac{1}{4}$ " F.H. Brass).....per 100	.40
1397	Short screw fastening Nos. 25722, 25723 to segment block (10-24, $\frac{3}{4}$ " F.H. Brass).....per 100	.20
25498	Nut for short screw fastening No. 25722 to segment block (10-24, Brass Sp'l).....per 100	2.00
34245	Nut for short screw fastening No. 25723 to segment block (10-24 Brass Sp'l).....per 100	1.00
30808	Connection rod for segments (5 $\frac{1}{4}$ " long).....	.18
46707	Insulation sleeve for No. 30808.....	.08
25729	Coil for magnetic blow-out device.....	1.15
25730	Box for No. 25729.....	1.10
25731	Screw fastening No. 25730 to block (10-24, 1" F.H. Brass).....per 100	.30
34248	Screw fastening segment blocks to frame ($\frac{5}{16}$ "-18, 1 $\frac{1}{4}$ " R.H.).....per 100	.70
47173	Lock washer for No. 34248 ($\frac{21}{64}$ " x $\frac{5}{8}$ " x .060").....per 100	1.20
30809	CONTACT BLOCK (right-hand) complete, without contact fingers.....	24.00
30810	Contact block (left-hand) complete, without contact fingers.....	24.00
30811	Contact block (right-hand).....	5.70
30812	Contact block (left-hand).....	5.70
23995	Screw fastening contact block to base plate ($\frac{5}{16}$ "-18, 1 $\frac{3}{4}$ " R.H.).....per 100	1.00
23996	Washer for No. 23995 ($\frac{21}{64}$ " x $\frac{9}{16}$ " x .060").....per 100	.40
23997	Wide contact base (right-hand).....	.90
23998	Wide contact base (left-hand).....	.90
23999	Contact base, narrow.....	.25
30813	Screw fastening contact bases to contact block (12-24, $\frac{5}{8}$ " F.H.).....per 100	.25

4592-10 Parts of Type DB Reversers

TYPE DB 22, FORM A REVERSER


Cat. No.	Description	List Price
22778	Copper terminal for No. 23999.....per 100	\$2.00
19682	Screw fastening terminal to contact base (14-24, $\frac{3}{8}$ " R.H. Blued).....per 100	1.00
22780	Lock washer for No. 19682 ($\frac{17}{64}$ " x $\frac{1}{2}$ " x .060").....per 100	2.00
30814	Binding screw for wide contact base (14-24, $\frac{3}{4}$ " R.H. Round Point Blued Sp'l).....per 100	1.50
22213	Check nut for binding screw (14-24, Hex. Flat Brass).....per 100	1.50

Parts of the DB 22-B Reverser which differ from those of the DB 22-A

36866	Large contact finger with shunt.....	.60
25485	Small contact finger.....	.25
861	Screw fastening No. 36866 to contact base (8-32, $\frac{5}{8}$ " F.H.).....per 100	.50
1193	Screw fastening No. 25485 to contact base (8-32, $\frac{1}{2}$ " F.H.).....per 100	1.00
24110	Double washer for No. 861.....per 100	2.00
24109	Double washer for No. 1193.....per 100	2.00
24111	Insulation barrier for small contact bases.....	.60
9933	Screw fastening barrier to contact block (No. 8, 2" R.H.).....per 100	.50

TYPE DB 22, FORM B REVERSER

Following are the interchangeable parts of the DB-22-B Reverser which differ from those of the DB-22-A Reverser:



30818	Base plate, complete, with supporting studs for bearing plate and magnet poles.....	
30819	Contact block (right-hand) complete, without contact fingers.....	20.50
30820	Contact block (left-hand) complete, without contact fingers.....	20.50
30821	Hinge contact base, complete (right-hand) for cut-out switch.....	1.40
30822	Hinge contact base, complete (left-hand) for cut-out switch.....	1.40
30823	Hinge contact base, stationary (right-hand).....	.65
30824	Hinge contact base, stationary (left-hand).....	.65
30825	Hinge contact base, movable.....	.50
30826	Pin fastening movable contact base to stationary contact base ($\frac{1}{4}$ " x $1\frac{1}{8}$ " Brass) per 100	1.30
30827	Eccentric for hinge contact base.....	.25
30828	Pin fastening eccentric to hinge contact base ($\frac{1}{4}$ " x $1\frac{1}{2}$ "..... per 100	3.25
5006	Spring cotter for No. 30828 ($\frac{3}{32}$ " x $\frac{1}{2}$ ".....per 100	.25
30829	INSULATION BASE FOR CUT-OUT SWITCH.....	1.85
10299	Cap screw fastening base in position ($\frac{3}{8}$ "-16, $1\frac{1}{4}$ " Hex. H.).....per 100	3.00

TYPE DB 22, FORM B REVERSER

Cat. No.	Description	List Price
30830	Washer for No. 10299 ($\frac{13}{32}$ " x $\frac{3}{4}$ " x .075" Ph. Brz.).....per 100	\$1.75
30831	Hinged contact and terminal, complete (right-hand).....	2.75
30832	Hinged contact and terminal, complete (left-hand).....	2.75
30833	Pivot screw for hinged contact and handle link (12-24, 1" headless Sp'l).....per 100	3.60
30834	Terminal contact block, complete.....	.80
30815	Binding screw for Nos. 30831, 30832, 30834 (14-24, $\frac{5}{8}$ " Hex. H. Slot. Blued)....per 100	.30
22213	Check nut for binding screw (14-24, Hex. Flat Brass).....per 100	1.50
10264	Screw fastening Nos. 30831, 30832, 30834 to insulation base (14-24, 1" R.H. Blued)per 100	1.00
22780	Lock washer for No. 10264 ($\frac{17}{64}$ " x $\frac{1}{2}$ " x .060").....per 100	2.00
30835	Phosphor bronze contact spring for cut-out switch.....	.18
1193	Screw fastening No. 30835 to terminal contact block (8-32, $\frac{1}{2}$ " F.H.).....per 100	1.00
30836	Washer plate for No. 1193.....per 100	7.50
30837	Switch handle, complete, with link (right-hand).....	.50
30838	Switch handle, complete, with link (left-hand).....	.50
30839	Handle shaft.....	.95
30840	Brass bushing for handle shaft.....	.15
30841	Set screw for handle shaft (14-24, $\frac{5}{16}$ " headless Sp'l).....per 100	2.25
30842	Long fiber tube for handle shaft ($\frac{3}{4}$ " x $\frac{7}{8}$ " x $5\frac{1}{8}$ " long).....	.15
30843	Medium fiber tube for handle shaft ($\frac{3}{4}$ " x $\frac{7}{8}$ " x 4" long).....	.10
30844	Short fiber tube for handle shaft ($\frac{3}{4}$ " x $\frac{7}{8}$ " x $1\frac{1}{8}$ " long).....per 100	6.75


TYPE DB 26, FORM A REVERSER

30426	OPERATING MAGNET SPOOL, complete, DB-26-A-6.....	31.00
30427	Operating magnet spool, complete, DB-26-A-7.....	31.00
34268	Operating magnet spool, complete, DB-26-A-8.....	30.00
40127	Operating magnet spool, complete, DB-26-A-9.....	29.00
40173	Operating magnet spool, complete, DB-26-A-10.....	28.00
40174	Operating magnet spool, complete, DB-26-A-11.....	34.00
40175	Operating magnet spool, complete, DB-26-A-12.....	35.50
40176	Operating magnet spool, complete, DB-26-A-13.....	27.00
40177	Operating magnet spool, complete, DB-26-A-14.....	36.00
40178	Operating magnet spool, complete, DB-26-A-15.....	37.00
40196	Operating magnet spool, complete, DB-26-A-16.....	35.00
47547	Operating magnet spool, complete, DB-26-A-18.....	36.00
47548	Operating magnet spool, complete, DB-26-A-19.....	29.00
22778	Copper terminal for magnet spool.....per 100	2.00
19682	Screw fastening terminal in position (14-24, $\frac{3}{8}$ " R.H. Blued).....per 100	1.00
22780	Lock washer for No. 19682 ($\frac{17}{64}$ " x $\frac{1}{2}$ " x .060").....per 100	2.00
29440	Base plate, complete, with supporting studs for bearing plate and magnet poles.....	10.80
25474	Bearing plate, with bearing caps, cap screws, lock washers and brass bushings.....	.60
25475	Bearing cap for No. 25474.....	8.00
9887	Long cap screw fastening bearing caps and bearing plate to supporting studs ($\frac{1}{2}$ "-13, 1 $\frac{1}{2}$ " Hex. H.).....per 100	8.00
439	Short cap screw fastening bearing plate to supporting studs ($\frac{1}{2}$ "-13, 1" Hex. H.)per 100	4.00
16131	Lock washer for Nos. 9887, 439.....per 100	4.00
25732	Operating arm, complete, includes plunger, hinge pin with spring cotter and hinge pin with rivet.....	2.00
25733	Operating arm.....	.85
24145	Plunger.....	.70
46259	Hinge pin for operating arm and bearing plate ($\frac{1}{2}$ " x $2\frac{3}{4}$ ").....per 100	6.15
4030	Spring cotter for No. 46259 ($\frac{3}{32}$ " x $\frac{5}{8}$ ").....per 1000	2.00

4592-12 Parts of Type DB Reversers

TYPE DB 26, FORM A REVERSER

Cat. No.	Description	List Price
25735	Hinge pin, for operating arm and plunger ($\frac{1}{2}$ " x $2\frac{7}{8}$ ").....	\$0.20
15207	Spring cotter for No. 25735 ($\frac{1}{8}$ " x $1\frac{1}{2}$ ").....per 100	.40
30801	FRAME FOR SEGMENT BLOCKS, complete, includes bearing pins, for plunger levers adjustable stop pieces and bearing pivots with phosphor bronze washers.....	11.15
25489	Bearing pin with rivet ($\frac{1}{2}$ " x $3\frac{5}{32}$ ").....per 100	6.40
25490	Adjustable stop piece.....	.30
30858	RIGHT-HAND SEGMENT BLOCK, complete, with segments and magnetic blow-out device.....	15.00
30859	Left-hand segment block, complete, with segments and magnetic blow-out device.....	15.00



30804	Segment block (right-hand).....	3.00
30805	Segment block (left-hand).....	3.00
25496	Insulation barrier for segment block.....	.50
5604	Screw fastening No. 25496 to block (10-24, $1\frac{1}{4}$ " R.H. Brass).....per 100	.40
25498	Nut for No. 5604 (10-24 Brass Sp'l).....per 100	2.00
30860	Long contact segment, with studs, nearest connection rod for large fingers.....	.70
30861	Long contact segment, with studs, at end of block for large fingers.....	.70
30862	Long contact segment, with studs, at middle of block of for large fingers.....	.70
30863	Contact segment, with studs, at end of block for large fingers and connection rod.....	.70
30864	Contact segment, with studs, at middle of block for large fingers and connection rod.....	.70
25722	Double contact segment for small fingers.....	.30
25723	Single contact segment for small fingers.....	.20

TYPE DB 26, FORM A REVERSER

Cat. No.	Description	List Price
25724	Stud fastening contact segments for large fingers to segment block (14-24, 1 $\frac{3}{16}$ " Brass).....per 100	\$3.25
25725	Nut for No. 25724 (14-24, Hex.).....per 100	.60
22780	Lock washer for No. 25725 ($\frac{17}{64}$ " x $\frac{1}{2}$ " x .060").....per 100	.85
25726	Long screw fastening Nos. 25722, 25723 to segment block (10-24, 1 $\frac{1}{4}$ " F.H. Brass).....per 100	.40
1397	Short screw fastening Nos. 25722, 25723 to segment block (10-24, $\frac{3}{4}$ " F.H. Brass).....per 100	.20
25498	Nut for short screw fastening No. 25722 to segment block (10-24, Brass Sp'l) .per 100	2.00
34245	Nut for short screw fastening No. 25723 to segment block (10-24, Brass Sp'l) .per 100	1.00
30817	Connection rod for segments (11 $\frac{1}{4}$ " long).....	.35
46708	Insulation sleeve for No. 30817.....	.15
25729	Coil for magnetic blow-out device.....	1.15
25730	Box for No. 25729.....	1.10
25731	Short screw fastening No. 25730 to block (10-24, 1" F.H. Brass).....per 100	.30
34248	Screw fastening segment blocks to frame ($\frac{5}{16}$ "-18, 1 $\frac{1}{4}$ " R.H.).....per 100	.70
47173	Lock washer for No. 34248 ($\frac{21}{64}$ " x $\frac{5}{8}$ " x .060").....per 100	1.20
30865	CONTACT BLOCK (right-hand) complete, without contact fingers.....	18.00
30866	Contact block (left-hand) complete, without contact fingers.....	18.00
30867	Contact block (right-hand).....	5.70
30868	Contact block (left-hand).....	5.70
23995	Screw fastening contact block to base plate ($\frac{5}{16}$ "-18, 1 $\frac{3}{4}$ " R.H.).....per 100	1.00
23996	Washer for No. 23995 ($\frac{21}{64}$ " x $\frac{9}{16}$ " x .060").....per 100	.40
30869	Wide contact base (right-hand).....	1.40
30870	Wide contact base (left-hand).....	1.40
23999	Contact base (narrow).....	.25
33848	Long screw fastening Nos. 30869, 30870 to contact block (12-24, $\frac{7}{8}$ " F.H.)....per 100	.30
30813	Short screw fastening Nos. 30869, 30870 and screw fastening No. 23999 to contact block (12-24, $\frac{5}{8}$ " F.H.).....per 100	.25
22778	Copper terminal for No. 23999.....per 100	2.00
19682	Screw fastening terminal to contact block (14-24, $\frac{3}{8}$ " R.H. Blued).....per 100	1.00
22780	Lock washer for No. 19682 ($\frac{17}{64}$ " x $\frac{1}{2}$ " x .060").....per 100	2.00
30364	Binding screw for wide contact base ($\frac{5}{16}$ "-18, 1" R.H. Round Point Blued Sp'l)per 100	3.00
25483	Check nut for No. 30364 ($\frac{5}{16}$ "-18, Hex.).....per 100	1.00
46709	Large contact finger, with shunt.....	.60
25485	Small contact finger.....	.25
2028	Screw fastening No. 46709 to contact base (14-24, $\frac{5}{8}$ " F.H.).....per 100	.50
1193	Screw fastening No. 25485 to contact base (8-32, $\frac{1}{2}$ " F.H.).....per 100	1.00
30872	Double washer for No. 2028.....per 100	3.00
24109	Double washer for No. 1193.....per 100	2.00
24111	Insulation barrier for small contact bases.....	.60
9933	Screw fastening barrier to contact block (No. 8, 2" R.H.).....per 100	.50

GENERAL ELECTRIC COMPANY

4592-14 Parts of Type DB Reversers

INDEX TO CATALOGUE NUMBERS

NO.	PAGE	NO.	PAGE	NO.	PAGE	NO.	PAGE
439-1,	4, 9, 11	24130-3		30427-1,	3, 8, 11	34227-6	
471-3		24131-3		30800-8		34228-6	
861-2,	7, 10	24132-3		30801-9,	12	34229-6	
1013-3		24133-3		30802-9		34230-6	
1058-3		24134-3		30803-9		34232-6	
1193-2,	5, 10, 11, 13	24135-3		30804-9,	12	34233-7	
1397-5,	7, 9, 13	24136-3		30805-9,	12	34234-7	
1657-7		24137-3		30806-9		34235-7	
2028-5,	13	24138-3		30807-9		34236-7	
4030-2,	4, 6, 9, 11	24139-3		30808-9		34237-7	
5006-10		24140-3		30809-9		34238-7	
5604-5,	9, 12	24141-3		30810-9		34239-7	
9887-1,	4, 9, 11	24142-3		30811-9		34240-7	
9933-2,	5, 10, 13	24143-3		30812-9		34241-7	
10264-11		24144-3		30813-1,	5, 9, 13	34242-7	
10299-10		24145-3,	4, 9, 11	30814-1,	10	34243-7	
10392-8		24146-3		30815-11		34244-7	
15207-3,	4, 9, 12	24147-3		30817-13		34245-5,	7, 9, 13
16076-6		24262-7		30818-11		34246-7	
16131-1,	4, 6, 9, 11	25473-4		30819-10		34247-7	
19648-7		25474-4,	8, 11	30820-10		34248-7,	9, 13
19682-1,	3, 4, 5, 6, 7,	25475-4,	9, 11	30821-10		34249-7	
	8, 10, 11, 13	25476-5		30822-10		34250-7	
21451-3		25477-5		30823-10		34251-7	
22213-1,	7, 10, 11	25478-5		30824-10		34252-7	
22778-1,	4, 5, 6, 7,	25479-5		30825-10		34253-7	
	8, 10, 11, 13	25480-5		30826-10		34254-7	
22780-1,	4, 5, 6, 7, 8,	25481-5		30827-10		34255-7	
	9, 10, 11, 12, 13	25483-5,	13	30828-10		34256-7	
23987-1		25484-5		30829-10		34263-8	
23988-1		25485-5,	7, 10, 13	30830-11		34268-1,	3, 8, 9, 11
23989-1		25486-5,	7	30831-11		36866-7,	10
23990-1		25488-4		30832-11		40125-6	
23991-1		25489-4,	9, 12	30833-11		40126-6	
23992-1		25490-4,	7, 9, 12	30834-11		40127-1,	3, 8, 11
23993-1		25491-4		30835-11		40173-1,	3, 8, 11
23994-1		25492-5		30836-11		40174-1,	3, 8, 11
23995-1,	9, 13	25493-5		30837-11		40175-1,	3, 8, 11
23996-1,	9, 13	25494-5		30838-11		40176-1,	3, 8, 11
23997-1,	9	25496-5,	9, 12	30839-11		40177-1,	3, 8, 11
23998-1,	9	25498-5,	7, 9, 12, 13	30840-11		40178-1,	3, 8, 11
23999-1,	5, 9, 13	25499-5		30841-11		40196-1,	3, 8, 11
24107-1		25721-5		30842-11		46259-4,	9, 11
24108-2		25722-5,	9, 12	30843-11		46327-5	
24109-2,	5, 8, 10, 13	25723-5,	9, 12	30844-11		46625-6	
24110-2,	7, 10	25724-5,	9, 13	30848-13		46706-7	
24111-2,	5, 10, 13	25725-5,	7, 9, 13	30858-12		46707-9	
24113-2		25726-5,	7, 9, 13	30859-12		46708-13	
24114-2		25728-5		30860-12		46709-13	
24115-2		25729-5,	7, 9, 13	30861-12		47173-5,	7, 9, 13
24116-2		25730-5,	9, 13	30862-12		47547-1,	3, 8, 11
24117-3		25731-5,	7, 9, 13	30863-12		47548-1,	3, 8, 11
24118-3		25732-4,	9, 11	30864-12		47550-6	
24119-3		25733-4,	9, 11	30865-13		47551-6	
24120-3		25735-4,	9, 12	30866-13		47552-6	
24121-3		29423-7		30867-13			
24122-3,	4, 5, 7	29440-11		30869-13			
24123-3		30345-5		30868-13			
24124-3		30346-5		30870-13			
24125-3		30347-6		30872-13			
24126-3		30348-6		33847-5			
24127-3		30351-6		33848-5,	13		
24128-3		30364-5,	13	34225-6			
24129-3		30426-1,	3, 8, 11	34226-6			

GENERAL ELECTRIC COMPANY

PRINCIPAL OFFICES, SCHENECTADY, N. Y.

SALES OFFICES:

BOSTON, MASS., 84 State Street.
NEW YORK, N. Y., 30 Church Street.
SYRACUSE, N. Y., Sedgwick, Andrews & Kennedy Bldg.
BUFFALO, N. Y., Ellicott Square Building.
NEW HAVEN, CONN., Malley Building.
PHILADELPHIA, PA., Witherspoon Bldg.
BALTIMORE, MD., Continental Trust Building.
CHARLOTTE, N. C., Trust Building.
PITTSBURG, PA., Park Building.
ATLANTA, GA., Empire Building.
NEW ORLEANS, LA., Hennen Building.
CINCINNATI, OHIO, Perin Bldg., Fifth and Race Sts.
COLUMBUS, OHIO, Columbus Savings & Trust Bldg.
CLEVELAND, OHIO, Citizens Building.
NASHVILLE, TENN., Stahlman Building.
CHICAGO, ILL., Monadnock Building.
DETROIT, MICH., Majestic Bldg., (Office of Soliciting Agt.)
St. LOUIS, MO., Wainwright Building.
KANSAS CITY, MO., 2114 Central Street.
OKLAHOMA CITY, OKLA., Culbertson Building.
DALLAS, TEXAS, Scollard Bldg., (Office of Soliciting Agt.)
HELENA, MONTANA, Power Block.
DULUTH, MINN., Providence Building.
MINNEAPOLIS, MINN., Phoenix, Building.
DENVER, COLO., Kittredge Building.
SALT LAKE CITY, UTAH, Dooly Building.
SAN FRANCISCO, CAL., Union Trust Building.
LOS ANGELES, CAL., Delta Building.
PORTLAND, ORE., Worcester Building.
SEATTLE, WASH., Alaska Building.

FOREIGN

FOREIGN DEPARTMENT,
Schenectady, N. Y., and 30 Church St., New York, N. Y.
LONDON OFFICE, 83 Cannon St., London, E. C., England.

For all CANADIAN Business,
Canadian General Electric Company, Ltd.,
Toronto, Ontario.